

# BCO120S015D1

## Silicon Carbide Schottky Diode

1200V, 15A



bestirpower

### Description

BCO120S015D1 utilizes bestirpower's advanced silicon carbide diode technology. This technology combines the benefits of excellent low forward voltage and robustness. Consequently, the family is suitable for application requiring high power efficiency

### Applications


- Solar inverter, UPS
- EV charging station
- Power Factor Correction

### Features

$V_{RRM}$	$I_F$	$T_{J,max}$	$Q_C$
1200 V	15 A	175 °C	92 nC

- No reverse recovery current
- Low forward voltage
- 175°C Max junction temperature
- High surge current capability
- Switching behavior independent of temperature

### Die Configuration



\*Cathode : Bottom



### Die Mechanical Parameters


Parameter	Typical Value	Unit
Wafer Diameter	6	inch
Die Dimensions (W x L x T)	2630 x 2630 x 200	$\mu\text{m}$
Anode Metallization (AlCu)	4	$\mu\text{m}$
Bottom Cathode Metallization (Ti/Ni/Ag)	0.5	$\mu\text{m}$
Recommended Source Bond Wire	Al 15mils x 2	ea
Gross Die (Single chip of wafer)	2,068	ea

### Electrical Characteristics ( $T_J = 25^\circ\text{C}$ ) (Note1)


Symbol	Parameter	Test Conditions	Min	Typ	Max	Unit
$V_F$	Forward Voltage	$I_F = 15 \text{ A}, T_C = 25^\circ\text{C}$		1.39	1.70	V
$I_R$	Reverse Current	$V_R = 1200 \text{ V}, T_C = 25^\circ\text{C}$		-	100	$\mu\text{A}$

1. Base on TO247 package.

### Die Layout



### Wafer Sawing Information



## **Disclaimer**

Bestirpower reserve the right to make changes, corrections, enhancements, modifications, and improvements to Bestirpower products and/or to this document at any time without notice.

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics. Bestirpower does not assume any liability for infringement of patents, copyrights, or other intellectual property rights of third parties by or arising from the use of Products or technical information described in this document.

This document is the property of Bestirpower Co., LTD., and not allowed to copy or transformed to other format if not under the authority approval.

© 2023 Bestirpower – All rights reserved